

INDIANA DEPARTMENT OF NATURAL RESOURCES
DIVISION OF WATER

VERMILLION COUNTY

INDIANA DEPARTMENT OF NATURAL RESOURCES
DIVISION OF WATER
VERMILLION COUNTY

DNR BM VER 3, 1986

In Vermillion County, Dana Quadrangle, in Section 2, T. 16 N., R. 9 W., 2nd PM.; at the Wimsett Cemetery; at the southeast corner L-shaped property line concrete wall, set in the top at the southeast at the southeast corner of concrete wall 190.0 feet east from the entrance to cemetery, 24.0 feet north from the centerline of dirt road around cemetery, 4.3 feet above ground, a Department of Natural Resources bench mark tablet stamped "VER 3 1986".

503.60 feet NGVD 1929

THIRD ORDER

DNR TBM WRML 1

In Vermillion County, Dana Quadrangle, in the NW $\frac{1}{4}$ of Section 2, T. 16 N., R 9 W., 2nd P.M. About 1.2 miles east of State Highway 63 along County Road 150 South to a bridge over a small unnamed stream, set in the top of the north headwall of the bridge, 10.0 feet north of the centerline of the road, 0.6 feet east of the northeast corner of the bridge, and about 1.8 feet above the level of the road, a chiseled triangle.

541.97 feet NGVD 1929

DNR TBM WR 45

In Vermillion County, Dana Quad, in the NE $\frac{1}{4}$ of Sect. 2, T. 16 N., R. 9 W., 2nd P.M. About 1.5 miles east of State Highway 63 along County Road 150 South to its intersection with a county road and railroad at Wimsett Cemetery. At the northeast end of a farmers access road running north along the east side of the cemetery, about 15 feet northwest of the centerline of the access road, and about 3.5 feet above the level of the ground. The top of a red, metal, U.S. Government property line post.

491.63 feet NGVD 1929

DNR BM VER 2 1986

In Vermillion County, Clinton Quad, North edge of Sect. 27, T. 15 N., R. 9 W., At the intersection of State Road 63 and 1100 South Road, set in the north face of the Vermillion County Highway Dept. garage building, in the southeast quarter of the intersection, 70.0 feet south from the centerline of 1100 S. road, 13.5 feet west from the northeast corner of the building, 0.5 feet above ground, set vertically, a Department of Natural Resources bench mark tablet, stamped "VER 2 1986"

525.639 feet NGVD 1929

INDIANA DEPARTMENT OF NATURAL RESOURCES
DIVISION OF WATER
VERMILLION COUNTY

DNR BM VER 10 1987

In Vermillion County, Clinton Quad, Sect. 15, T. 14 N., R. 9 W., at Clinton, at the US Post office, set in the top at the south corner of a concrete foundation wall for stairway, on the east side of building, 92.5 feet north from the centerline of Vine Street, 56.3 feet west from the centerline of 4th Street, 5.7 feet east from the east face of building, 0.9 feet above ground, a Department of Natural Resources bench mark tablet, stamped "VER 10 1987".

504.940 feet NGVD 1929

DNR BM VER 11 1987

In Vermillion County, Clinton Quad, Sect. 16, T. 14 N., R. 9 W., At Clinton, at the North 11th Street bridge over an unnamed tributary of Feather Creek, set in the top of the northwest concrete wingwall of bridge, 125.0 feet south from the centerline of Morris Street, 11.5 feet west from the centerline of North 11th street, 0.7 feet north from south face of wingwall, 0.2 feet below the roadway, an Indiana Department of Natural Resources bench mark tablet, stamped "VER 11 1987".

491.788 feet NGVD 1929

DNR TBM FEATHER CREEK 1987

In Vermillion County, Clinton Quad, Sect. 16, T. 14 N., R. 9 W., At Clinton, at the intersection of North 11th Street and Morris Street set on the east side of power pole #288-374, 21.8 feet west from the centerline of North 11th Street, (Power pole is on the extended of Morris Street) 125 feet north from a bridge over an unnamed tributary of Feather Creek, 0.9 feet above ground, a railroad spike driven through an aluminum tag, stamped "DNR TBM Feather Creek 1987".

491.481 feet NGVD 1929

NGS BM Q-360 1986

In Vermillion County, Clinton Quad, Sect. 20, T. 14 N., R. 9 W., approximately 2112 feet south along State Road 63 from its junction with a southwest-northeast crossroad leading to Clinton, 63.0 feet west from the centerline of the south bound lane of SR. 63, 14.5 feet north from the centerline of a private farm lane with iron gate, (with no trespassing, no swimming sign on it) 3.0 feet north from a fence corner post, 1.2 feet east from a fence line, the top of a aluminum rod, 0.8 feet west from a witness post, inside of a plastic pipe with a iron cap cover, stamped "NGS Survey Point Marker Access Cover Q-360 1986".

602.985 feet NGVD 1929

602.637 feet NAVD 1988

INDIANA DEPARTMENT OF NATURAL RESOURCES
DIVISION OF WATER
VERMILLION COUNTY

DNR BM VER 12 1987

In Vermillion County, Clinton Quad, Sect. 15, T. 14 N., R. 9 W., At Clinton, at the sewage disposal plant, near the intersection of John Street, and South Main Street, 118.6 feet southwest from the entrance gate to sewage disposal plant, 20.0 feet east from the centerline of South Main Street, 6.2 feet north from a power pole, set in the top of a concrete post, 0.4 feet above aground, a Department of Natural Resources bench mark tablet stamped "VER 12 1987".

481.703 feet NGVD 1929

DNR TBM VER 13 1987

In Vermillion County, Clinton Quad, Sect. 22, T. 14 N., R. 9 W., at the Vermillion Convalescent Center, 17.5 feet west from the centerline of 350 East Road, set in the west side of power pole, 73.0 feet southeast from a fire hydrant, 0.8 feet above ground, a railroad spike driven through an aluminum tag, stamped "DNR TBM VER 13 1987".

500.821 feet NGVD 1929

STATE HWY COMMISSION OF INDIANA SURVEY BM VERM C 29

In Vermillion County, Clinton Quad, Sect. 15, T. 14 N., R. 9 W., At Clinton, at the State Road 163 bridge over the Wabash River, set in the base of the northwest concrete handrail of bridge, 20.2 feet north from the centerline of the highway, 1.4 feet above the roadway, a State Highway Commission of Indiana Survey bench mark tablet, stamped "VERM C 29".

495.398 feet NGVD 1929

DNR TBM CLINTON 1987

In Vermillion County, Clinton Quad, Sect. 15, T. 14 N., R. 9 W., At Clinton, at the intersection of Vine and 4th Street, set in the northeast quarter of the intersection, set in the west side of power pole, 22.4 feet north from the centerline of Vine Street, 19.4 feet east from the centerline of 4th Street, 1.0 feet above ground, a railroad spike driven through an aluminum tag, stamped "DNR TBM Clinton 1987:.

503.949 feet NGVD 1929

NGS BM P-360 1986

In Vermillion County, New Goshen Quad, Sect. 32, T. 14 N., R. 9 W., at the State Road 63 north bound bridge over Brouilletts Creek, set in the top of the northwest concrete bridge seat, 18.6 feet west from the centerline of the north bound bridge, 6.0 feet below top of guardrail a NGS bench mark tablet, stamped "P-360 1986".

488.555 feet NGVD 1929

488.204 feet NAVD 1988

INDIANA DEPARTMENT OF NATURAL RESOURCES
DIVISION OF WATER
VERMILLION COUNTY

ISHC BM VERM C-30

In Vermillion County, New Goshen Quad, Sect. 32, T. 14 N., R. 9 W., at the State Road 63 northbound bridge over Brouilletts Creek, set in top of the southwest concrete curbing of the northbound bridge, 21.3 feet west from the centerline of the northbound bridge, 0.8 feet above the roadway, State Highway Commission of Indiana survey bench mark tablet stamped "VERM C-30".

493.057 feet NGVD 1929

DNR BM VER 13 1987

In Vermillion County, New Goshen Quad, Sect. 34, T. 14 N., R. 9 W., At the residence of Billy E. Brown, set in the top of a concrete post, 31.0 feet west from the centerline of 350 East Road, 13.7 feet north from the centerline of driveway, leading west (with gate across driveway) 1.7 feet southwest from a fence corner post, level with the ground, an Indiana Department of Natural Resources bench mark tablet, stamped "VER 13 1987".

481.066 feet NGVD 1929

DNR BM VER 1 1986

In Vermillion County, Perrysville Quad, Sect. 2, T. 19 N., R. 9 W., At the Interstate 74 west bound bridge over the Wabash River, set in the top at the west end of the south concrete curbing for the west bound bridge, 3.0 feet northeast from the southwest end of curbing, 16.8 feet north from a Wabash River sign, 1.0 feet above roadway, 17.9 feet south from the centerline of the west bound bridge, a Department of Natural Resources bench mark tablet stamped "VER 1 1986".

527.348 feet NGVD 1929